

## **QUICK ICD-10 Dx CODE REFERENCE LIST COMMONLY USED FOR RICHIE BRACE PRESCRIPTIONS**

### **LATERAL ANKLE INSTABILITY**

Instability of Joint; Ankle and Foot  
M24.871 (RT), M24.872 (LT)

Calc-fib Ligament Sprain  
S93.411 (RT), S93.412 (LT)  
*\*Need to also denote 7<sup>th</sup> character encounter type (A, D, S)*

Anterior Talo-fib Ligament Sprain  
S93.491 (RT), S93.492 (LT)  
*\*Need to also denote 7<sup>th</sup> character encounter type (A, D, S)*

### **CHARCOT FOOT**

Charcot Arthropathy  
M14.671 (RT), M14.672 (LT)

Diabetic Charcot Joint  
E11.610

### **DEGENERATIVE JOINT DISEASE OF ANKLE & REARFOOT**

Osteoarthritis, Localized, Primary; Ankle and Foot  
M19.071 (RT), M19.072 (LT)

Pain, Joint; Ankle and Foot  
M25.571 (RT), M25.572 (LT)

Tarsal Coalition  
Q66.89

### **ADULT ACQUIRED FLATFOOT (PTTD)**

Adult Acquired Flatfoot  
M21.41 (RT), M21.42 (LT)

Rupture, Tendon; Ankle and Foot  
M66.371 (RT), M66.372 (LT)

Pronation, Acquired  
R26.9

### **TENDINOPATHY OF ANKLE**

Tendinitis, Tibial  
M76.821 (RT), M76.822 (LT),

Tendinitis, Peroneal  
M76.71 (RT), M76.72 (LT)

### **DROPFOOT**

Dropfoot  
M21.371 (RT), M21.372 (LT)

Hemiplegia  
I69.351 (RT), I69.352 (LT),

### **DIAGNOSIS CODES APPLICABLE TO RICHIE BRACE® BILLING**

NOTE: This list is not inclusive of all possible codes. It is not a guarantee of reimbursement for payment. The codes selected for diagnosis and billing purposes are the discretion of the prescribing practitioner.